



Hospitality

Product Guide





Danby® is a leading North American appliance company, providing innovative solutions for small-space living across hospitality, education, military, senior living, and office environments. As the parent brand, Danby is proud to be an approved vendor for major hotel brands, offering quality products with industry-best warranties and unmatched customer service.

Within our product lineup, MicroFridge® by Danby® delivers trusted in-room appliances, including combination refrigerators and microwaves designed for safety, reliability, and convenience. In addition to MicroFridge® units, Danby also offers air purifiers, dehumidifiers, wine and beverage coolers, and full-size appliances ideal for extended-stay suites and shared spaces.

We work with major hotel brands, designers, and FF & E companies to bring the comforts of home to their guests' rooms.

We are proud to be an approved vendor for major hotel brands, such as:



Three Products To Meet Your Needs

Refrigerators, Microwaves & Specialty Appliances

Danby



- Refrigerators from 1.0 cu. ft. to 18 cu. ft. including outdoor and glass door models.
- Microwaves from 0.7 cu. ft. to 1.6 cu. ft. including counter-top and over-the-range models.
- Specialty appliances including ranges, safes, beverage centers, wine coolers, and more.
- Industry Best Warranty – 24 months parts and labor.

Combination Appliances



- Bracket provided to attach the refrigerator and microwave. Refrigerator and microwave can also be installed separately into case goods.
- One-Plug-to-the-Wall operation with 3 minute delay. Saves valuable outlet space, ensures less wear and tear on the refrigerator's compressor, and won't overload circuits.
- Industry Best Warranty – 7 years on major components.

Combination Appliances



- Safe Plug®, our patented current limiting technology, restricts electrical draw to just 11 amps, by not allowing the refrigerator compressor to come on while the microwave is running. No more overloading circuits or strain on the compressor.
- The next generation front charging station offers 3 plug-in options for even greater convenience. Two USB ports and one traditional three-prong grounded outlet to safely and conveniently charge small electrical devices.
- Patented internal smoke sensor automatically shuts down microwave operation and alerts the user of smoke before any damage is done.
- Industry Best Warranty – 7 years on major components.

Our Warranties



Danby

- 24 months parts & labor warranty
- Onsite service available
- Applies to all Danby® brand products purchased through the Hospitality Division



MICRO with **SAFE PLUG**
FRIDGE
by Danby

- 1 year parts & labor
- 7 years on major components (refrigerator compressor & sealed system and microwave magnetron)
- If the major components fail in the first 5 years, we ship a replacement refrigerator or microwave at no charge with free shipping.



MICRO with **SAFE PLUG** **1 DEFENSE**
FRIDGE **SMOKE**
by Danby **SENSOR**

- 1 year parts & labor
- 7 years on major components (refrigerator compressor & sealed system and microwave magnetron)
- If the major components fail in the first 7 years, we ship a replacement refrigerator or microwave at no charge with free shipping.

Danby® Microwaves



0.7 cu. ft. Microwave

DBMW0720ABD

- 700 watts
- Safety lock
- Auto defrost options
- Cord length – 59"
- Glass turntable
- 24 Month Warranty

W 17 9/16" (44.6 cm)
D 12 15/16" (32.8 cm)
H 9 9/16" (24.3 cm)

Available in White – Model DBMW0720AWD




0.7 cu. ft. Microwave

DBMW0720ASD

- 700 watts
- Safety lock
- Auto defrost options
- Cord length – 59"
- Glass turntable
- 24 Month Warranty

W 17 9/16" (44.6 cm)
D 12 15/16" (32.8 cm)
H 9 9/16" (24.3 cm)



1.6 cu. ft. OTR Microwave

DOMI6A2SSDB

- Over-the-range installation
- 1000 watts
- Safety lock
- Cord length – 39"
- Glass turntable
- 24 Month Warranty

W 29 13/16" (75.8 cm)
D 18 3/16" (46.2 cm)
H 16 7/8" (42.9 cm)



0.9 cu. ft. Microwave

DBMW0921BBB

- 900 watts
- Safety lock
- Auto defrost options
- Cord length – 41"
- Glass turntable
- 24 Month Warranty

W 18 5/8" (48.6 cm)
D 13 3/8" (36.9 cm)
H 10 11/16" (29.4 cm)

Available in White – Model DBMW0921BWW

Available in Stainless Steel – Model DBMW0921BBS



1.1 cu. ft. Microwave

DBMW1121BBB

- 1000 watts
- Safety lock
- Auto defrost options
- Cord length – 41"
- Glass turntable
- 24 Month Warranty

W 20 3/8" (51.3 cm)
D 14 15/16" (40.0 cm)
H 11 13/16" (30.6 cm)

Available in White – Model DBMW1121BWW



1.1 cu. ft. Microwave

DBMW1126BBS

- 1000 watts
- Safety lock
- Auto defrost options
- Cord length – 41"
- Glass turntable
- 24 Month Warranty

W 20 3/8" (51.3 cm)
D 15 13/16" (40.2 cm)
H 12 1/16" (30.6 cm)

Danby® Compact All-Refrigerators

Refrigeration only, no freezer compartment



1.0 cu. ft. Compact All-Refrigerator

DAR010A1BDB

- Automatic defrost
- Quiet operation at 37 dB
- Energy Rating: 241 kWh
- Cord length - 61"
- 24 Month Warranty

W 15 1/8" (38.4 cm) x D 16 1/8" (41.0 cm) x H 19 5/16" (50.3 cm)



1.6 cu. ft. Compact All-Refrigerator

DAR016A1BDB

- Automatic defrost
- Field reversible hinging
- Energy Rating: 241 kWh
- Cord length - 63"
- 24 Month Warranty

W 17 11/16" (45.0 cm) x D 17 11/16" (45.0 cm) x H 19 13/16" (50.3 cm)

Available in Stainless Steel Look: DAR016A1BSLDB



1.7 cu. ft. Compact All-Refrigerator

DAR017A2BDD

- Automatic defrost
- Field reversible hinging
- Energy Rating: 221 kWh
- Cord length - 63"
- 24 Month Warranty

W 17 11/16" (45.0 cm) x D 20 1/16" (51.0 cm) x H 20 1/16" (51.0 cm)



2.2 cu. ft. Compact All-Refrigerator

DAR022A1SLDB

- Automatic defrost
- Smooth Back Design
- Energy Rating: 208 kWh
- Cord Length - 61"
- 24 Month Warranty

W 18 11/16" (47.4 cm) x D 17" (43.2 cm) x H 24 15/16" (63.3 cm)

Available in Black - Model DAR022A1BDB

Danby® Compact All-Refrigerators

Refrigeration only, no freezer compartment



2.6 cu. ft. Compact All-Refrigerator

DAR026A1BDD

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 253 kWh
- Cord Length – 63"
- 24 Month Warranty

W 17 11/16" (45.0 cm) x D 20 1/16" (51.0 cm) x H 26 15/16" (68.5 cm)

Available in White – Model DAR026A1WDD



3.3 cu. ft. Compact All-Refrigerator

DAR033A1BDD

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 268 kWh
- Cord Length – 63"
- 24 Month Warranty

W 20 11/16" (52.6 cm) x D 20 7/8" (53.0 cm) x H 32 11/16" (83.1 cm)

Available in White & Stainless Look – Model DAR044A5BSLDD (with glass shelves)



4.4 cu. ft. Compact All-Refrigerator

DAR044A4BDD

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 268 kWh
- Cord Length – 61"
- 24 Month Warranty

W 20 11/16" (52.6 cm) x D 20 7/8" (53.0 cm) x H 32 13/16" (83.3 cm)

Available in White – Model DAR044A4WDD.

Danby® Compact Commercial Refrigerators

Glass Door – Refrigeration only, no freezer compartment



1.6 cu. ft. Compact All-Refrigerator With Glass Door

DAG016A2BDB

- Automatic defrost
- NSF7 Commercially Certified
- Integrated door lock & key
- Cord Length – 63"
- 24 Month Warranty

W 17 11/16" (45.0 cm) x D 19 11/16" (50.0 cm) x H 20 1/4" (51.5 cm)



2.6 cu. ft. Compact All-Refrigerator With Glass Door

DAG026A2BDB

- Automatic defrost
- NSF7 Commercially Certified
- Integrated door lock & key
- Cord Length – 63"
- 24 Month Warranty

W 17 1/2" (44.5 cm) x D 19 11/16" (50.0 cm) x H 27 1/8" (68.9 cm)

Danby® Outdoor Refrigeration



3.3 cu. ft. Outdoor Fridge

DAR033AIBSLDBO

- Tested to operate in a tropical environment
- 4 rust-resistant castors
- Energy Rating: 259 kWh
- Cord length – 63"
- 24 Month Warranty

W 17 11/16" (44.9 cm)
D 20 1/16" (51.0 cm)
H 33 1/16" (84.0 cm)



4.4 cu. ft. Outdoor Fridge

DAR044A6BSLDBO

- Tested to operate in a tropical environment
- 4 rust-resistant castors
- Energy Rating: 268 kWh
- Cord length – 63"
- 24 Month Warranty

W 20 3/4" (52.7 cm)
D 21 5/16" (54.1 cm)
H 33 1/16" (84.0 cm)



4.4 cu. ft. Outdoor Fridge

DAR044A1SSO

- Tested to operate in a tropical environment
- Integrated door lock
- Energy Rating: 268 kWh
- Cord length – 61"
- 24 Month Warranty

W 20 3/4" (52.7 cm)
D 20 5/8" (52.4 cm)
H 33 7/16" (85.0 cm)

Danby® Compact Refrigerators

Compact fridge comes with a full-width freezer compartment



1.6 cu. ft. Compact Refrigerator with Freezer

DCR016A3BDB

- Field reversible hinging
- Smooth back design
- Energy Rating: 207 kWh
- Cord length – 63"
- 24 Month Warranty

W 17 11/16" (45.0 cm) x D 18 1/2" (47.0 cm) x H 19 3/4" (50.2 cm)

Available in White: DCR016A3WDB and Stainless Steel Look: DCR016A3BSLDD



3.2 cu. ft. Compact Refrigerator with Freezer

DCR032A2BSLDD

- Field reversible hinging
- Glass shelves
- Energy Rating: 218 kWh
- Cord length – 63"
- 24 Month Warranty

W 17 11/16" (45.0 cm) x D 18 1/2" (47.0 cm) x H 32 11/16" (83.1 cm)

Available in Black DCR032A2BDD and White DCR032A2WDD



4.4 cu. ft. Compact Refrigerator with Freezer

DCR044A4BBSL

- Field reversible hinging
- Automatic defrost
- Energy Rating: 226 kWh
- Cord length – 63"
- 24 Month Warranty

W 20 3/4" (52.7 cm) x D 21 5/16" (54.1 cm) x H 33 11/16" (85.5 cm)

Available in Black: DCR044A2BDD and White: DCR044A2WDD



3.1 cu. ft. Compact Refrigerator with Freezer

DCR031B1BSLDD

- Field reversible hinging
- Smooth back design
- Interior light
- Cord length – 63"
- 24 Month Warranty

W 18 7/8" (48.0 cm) x D 19 11/16" (50.0 cm) x H 33 7/16" (85.0 cm)

Available in White – Model DCR031B1WDD

Danby® Refrigerator Tray



Refrigerator Tray


DRT-001

- Durable textured finish
- Rust-resistant plastic
- Non-slip PEVA tape on bottom 4 corners
- Raised tray lip holds 50 oz of liquid
- Sold in cases of 10

W 21" (53.3 cm) x D 19 3/4" (50.2 cm) x H 1/2" (13 cm)

DRT-001 - Package of 10 | DRT-001EA - Individual Purchase

Danby® Glass Cooktops




12-Inch Radiant Cooktop

DRC12B1DBD

- 2-burner cooktop (2 x 6.5")
- 9-power level ceramic glass cooktop
- Intuitive light touch controls
- 36 Month Warranty

W 11 1/4" (28.8 cm) x D 20 1/2" (52.0 cm) x H 2" (5.1 cm)



12-Inch Induction Cooktop

DIC12B1DBD

- 2-burner cooktop (6" and 8")
- 9-power level ceramic glass cooktop
- Intuitive light touch controls
- 36 Month Warranty

W 11 1/4" (28.8 cm) x D 20 1/2" (52.0 cm) x H 2 1/4" (5.7 cm)

Danby® Midsize Refrigerators



7.4 cu. ft. Midsize Refrigerator

DPF074B2BSLDB-6

- Field reversible hinging
- Smooth back design
- Energy Rating: 342 kWh
- Cord length - 71"
- 24 Month Warranty

W 21 13/16" (55.4 cm) x D 21 7/8" (55.5 cm) x H 56 5/16" (143.0 cm)

Available in White: DPF074B2WDB-6 and Black: DPF074B2BDB-6



10.0 cu. ft. Midsize Refrigerator

DBMF100B1SLDB

- Integrated door handle
- Glass shelves
- Energy Rating: 384 kWh
- Cord length - 63"
- 24 Month Warranty

W 20 3/4" (60.2 cm) x D 23 5/8" (60.0 cm) x H 73 13/16" (187.5 cm)

Available in White DBMF100B1WDB



10.1 cu. ft. Midsize Refrigerator

DFF101B1BSSDB

- Field reversible hinging
- Glass shelves
- Energy Rating: 297 kWh
- Cord length - 63"
- 24 Month Warranty

W 23 7/16" (59.5 cm) x D 26 1/8" (66.4 cm) x H 59 1/2" (151.1 cm)



14.2 cu. ft. Midsize Refrigerator

DFF142E1SSDB

- Field reversible hinging
- Glass shelves
- Energy Rating: 333 kWh
- Cord length - 78"
- 24 Month Warranty

Optional Ice Maker Accessory: DAIM224

- 115 V | 60 Hz | 6W
- Produces up to 2.7 lbs/day
- Stores up to 5.5 lbs
- NSF 61 & 372 Compliant for all states

W 27 9/16" (70.0 cm) x D 28 3/4" (73.1 cm) x H 61 1/4" (155.5 cm)

Available in White - Model DFF142EIWDB

Danby® Extended Stay Suite



18.0 cu. ft. Midsize Refrigerator

DFF180E2SSDB

- Automatic defrost
- Quiet operation at 45 dB
- Energy Rating: 241 kWh
- Cord length – 63"
- 24 Month Warranty

Optional Ice Maker Accessory: DAIM224

- 115 V | 60 Hz | 6W
- Produces up to 2.7 lbs/day
- Stores up to 5.5 lbs
- NSF 61 & 372 Compliant for all states

W 29 1/2" (74.9 cm) x D 32 13/16" (83.3 cm) x H 64 7/8" (164.8 cm)



10.1 cu. ft. Midsize Refrigerator

DFF101B1BSSDB

- Automatic defrost
- Quiet operation at 45 dB
- Energy Rating: 297 kWh
- Cord length – 63"
- 24 Month Warranty

W 29 1/2" (74.9 cm) x D 32 13/16" (83.3 cm) x H 64 7/8" (164.8 cm)



24 Inch Dishwasher

DDW2404EBSS

- Drain hose included
- Power cord & connector hoses not included
- 12 place setting capacity
- Electronic controls with digital display
- 6-convenient wash cycles

W 23 5/8" (60.0 cm) x D 23 13/16" (58.0 cm) x H 32 1/2" (82.5 cm)



18 Inch Dishwasher


DDW18DISS

- Drain hose included
- Power cord & connector hoses not included
- 10 place setting capacity
- Electronic controls with digital display
- 4-convenient wash cycles

W 17 5/8" (44.8 cm) x D 22 7/16" (56.9 cm) x H 34 1/4" (87.0 cm)

Available in Black – Model DDW18DIEB and White – Model DDW18DIEW

Danby® Extended Stay Suite



1.6 cu. ft. Over-the-Range Microwave

DOMI6A2SSDB

- Moisture Sensor
- 300 CFM vented fan
- Over-the-range installation
- Defrost by weight
- Glass turntable

W 29 13/16" (75.8 cm) x D 18 3/16" (46.2 cm) x H 16 7/8" (42.9 cm)



1.4 cu. ft. Over-the-Range Microwave

DOM014401GI

- Sensor reheat
- 300 CFM vented fan
- Over-the-range installation
- Auto defrost options
- Glass turntable

W 29 13/16" (75.8 cm) x D 18 3/16" (46.2 cm) x H 16 7/8" (42.9 cm)



1.1 cu. ft. Countertop Microwave

DBMW1126BBS

- 6-convenient auto cook options
- Auto defrost options
- Safety lock
- 900 Watts
- 10-power levels

W 20 3/8" (51.7 cm) x D 14 15/16" (38.0 cm) x H 11 13/16" (30.0 cm)



24 Inch Electric Convection Range

DRCA240BSS

- Slide-in or freestanding range
- 2.3 cu. ft. capacity
- Digital timer
- Dual element baking
- 24 Month Warranty

W 23 1/4" (59.0 cm) x D 24 15/16" (63.3 cm) x H 36 5/8" (93.0 cm)

MicroFridge® Combination Appliances

2.3 cu. ft. Combination Unit

2.3MF4-7BIS



Refrigerator Features

- 2 full-width wire shelves
- 2 half-width door bins
- 2L bottle storage
- CanStor® beverage dispenser
- Manual temperature control
- Auto-defrost function
- Sleek black interior
- 223 kWh annual energy use

Microwave Features

- Patented 1st Defense™ smoke sensor
- Patented Safe Plug® technology
- NEW USB charging station (2 ports, 4A total)
- Easy-grip pull door
- Express cook settings
- Pre-programmed cooking options
- LED display with clock
- Adjustable-volume beeper
- Removable 10 11/16" (27.1 cm) glass turntable
- 5.0 ft (1.5 m) power cord

Cabinet Features

- Bevel-edge tri-panel door
- Integrated handle
- Reversible door
- Adjustable leveling legs
- Space-saving flush back
- 5.5 ft (1.69 m) power cord

Additional Information

W 35 9/16" (90.5 cm)

D 18 5/8" (47.3 cm)

H 19 13/16" (50.3 cm)

Industry Best Warranty:

7-years on major components

Available in Black – 2.3MF4-7BIB
Available in White – 2.3MF4-7BIW
With SafePlug – 2.3MF4-7AI
With Smoke Sensor – 2.3MF4-7BI

3.1 cu. ft. Combination Unit

3.1MF4-7BIS



Refrigerator Features

- 1 full-width wire shelves
- 2 3/4-width door shelves
- CanStor® beverage dispenser
- Manual temperature control
- Manual defrost
- Sleek white interior
- Transparent crisper
- 195 kWh annual energy use

Microwave Features

- Patented 1st Defense™ smoke sensor
- Patented Safe Plug® technology
- NEW USB charging station (2 ports, 4A total)
- Easy-grip pull door
- Express cook settings
- Pre-programmed cooking options
- LED display with clock
- Adjustable-volume beeper
- Removable 10 11/16" (27.1 cm) glass turntable
- 5.0 ft (1.5 m) power cord

Cabinet Features

- Bevel-edge tri-panel door
- Integrated handle
- Reversible door
- Adjustable leveling legs
- Space-saving flush back
- 5.25 ft (1.60 m) power cord

Freezer Features

- True zero-degree freezer
- Manual defrost
- Full-width door shelf

Additional Information

W 44" (111.7 cm)

D 18 11/16" (47.4 cm)

H 19 11/16" (50.0 cm)

Industry Best Warranty:

7-years on major components

Available in Black – 3.1MF4-7BIB
With SafePlug – 3.1MF4-7AI
With Smoke Sensor – 3.1MF4-7BI

MicroFridge® Combination Appliances can be used attached to each other or separated for installation into cabinets.

MicroFridge® – Safe Plug® Combination Appliances

2.6 cu. ft. Combination Unit

2.6MF4-7A1



Refrigerator Features

- 2 full-width shelves
- 1 half-width shelf
- 2L bottle storage
- CanStor® beverage dispenser
- Sleek white interior
- 228 kWh annual energy use

Microwave Features

- One-touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, reheat)
- 3 specialty programs: cook by weight, defrost by weight, speed defrost
- Bilingual display panel (English/French)
- Easy-to-read LED timer and clock
- Includes SafePlug® power management

Additional Information

W 17 13/16" (45.2 cm)
D 20 1/16" (50.9 cm)
H 36 15/16" (93.8 cm)

Industry Best Warranty:

7-years on major components

Available in Black – 2.3MF4-7B1B
Available in Stainless Steel – 2.3MF4-7B1W
With SafePlug – 2.6MF4-7A1
With Smoke Sensor – 2.6MF4-7B1

3.1 cu. ft. Combination Unit

3.1MF7-7A1



Refrigerator Features

- 1 full-width shelf
- 2 3/4-width door shelves
- CanStor® beverage dispenser
- Manual temperature control
- Manual defrost
- 2L bottle storage
- Sleek white interior
- Transparent crisper
- 250 kWh annual energy use

Microwave Features

- One-touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, reheat)
- 3 specialty programs: cook by weight, defrost by weight, speed defrost
- Bilingual display panel (English/French)
- Easy-to-read LED timer and clock
- Includes SafePlug® power management
- 6.0 ft (1.8 m) power cord

Freezer Features

- True zero-degree freezer
- Manual defrost
- Full-width door shelf

Additional Information

W 18 11/16" (47.4 cm)
D 19 11/16" (50.0 cm)
H 43 3/4" (111.1 cm)

Industry Best Warranty:

7-years on major components

Available in Black – 3.1MF4-7B1B
With SafePlug – 3.1MF4-7A1
With Smoke Sensor – 3.1MF4-7B1

MicroFridge® Combination Appliances

3.2 cu. ft. Combination Unit

3.2MF4-7A1



Refrigerator Features

- Silent defrost timer
- Digital thermostat
- CanStor® beverage dispenser
- 2 full shelves + 1 half shelf for flexible storage
- Full-width ice compartment
- 2L bottle storage
- Reversible door hinge
- 258 kWh annual energy use

Microwave Features

- One-touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, reheat)
- 3 specialty programs: cook by weight, defrost by weight, speed defrost
- Bilingual display panel (English/French)
- Easy-to-read LED timer and clock
- Includes SafePlug® power management
- 6.0 ft (1.8 m) power cord

Additional Information

W 17 13/16" (54.2 cm)
D 18 1/2" (50.9 cm)
H 43" (109.2 cm)

Industry Best Warranty:

7-years on major components

3.3 cu. ft. Combination Unit

3.3MF4-7A1



Refrigerator Features

- CanStor® beverage dispenser
- 1 full shelf + 3 half shelves for flexible storage
- 2L bottle storage
- Reversible door hinge
- 259 kWh annual energy use

Microwave Features

- One-touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, reheat)
- 3 specialty programs: cook by weight, defrost by weight, speed defrost
- Bilingual display panel (English/French)
- Easy-to-read LED timer and clock
- Includes SafePlug® power management
- 6.0 ft (1.8 m) power cord

Additional Information

W 17 13/16" (54.2 cm)
D 20 1/16" (51.0 cm)
H 43" (109.2 cm)

Industry Best Warranty:

7-years on major components

Danby® Specialty



20 Inch Electric Range

DER203BSS

- Free-standing range
- 2.3 cu. ft. capacity
- Easy-clean interior
- No power cord supplied
- 24 Month Warranty

W 19 3/4" (50.2 cm)
D 23 3/4" (60.4 cm)
H 41 3/4" (106.0 cm)

Available in White – Model DER203W
Available in Black – Model DER203B



20 Inch Gas Range

DR203BSSGLP

- Free-standing range
- 2.3 cu. ft. capacity
- Easy-clean interior
- No power cord supplied
- 24 Month Warranty

W 19 3/4" (50.2 cm)
D 23 3/4" (60.4 cm)
H 41 3/4" (106.0 cm)

Available in White – Model DR203WGLP
Available in Black – Model DR203BGLP



3.1 cu. ft. Beverage Center

DBC117AIBSSDB-6

- Free-standing range
- Blue LED lighting
- Field reversible hinging
- Energy Rating: 297 kWh
- 24 Month Warranty

W 17 1/2" (44.5 cm)
D 19 11/16" (50.0 cm)
H 33 13/16" (83.3 cm)



2.6 cu. ft. Beverage Center

DBC026AIBSSDB

- Free-standing range
- Blue LED lighting
- Field reversible hinging
- Cord Length: 63"
- 24 Month Warranty

W 17 1/2" (44.5 cm)
D 19 11/16" (50.0 cm)
H 27 1/8" (68.9 cm)



5.2 cu. ft. Beverage Center

DBC052AIBSS

- Built-in range
- LED lighting
- Field reversible hinging
- Cord Length: 61"
- 24 Month Warranty

W 23 13/16" (60.5 cm)
D 25 3/8" (64.5 cm)
H 34 3/4" (88.2 cm)



5.7 cu. ft. Beverage Center

DBC057AIBSS

- Built-in range
- Blue LED lighting
- Field reversible hinging
- Cord Length: 61"
- 24 Month Warranty

W 23 13/16" (60.5 cm)
D 24 1/8" (61.3 cm)
H 35 1/16" (89.0 cm)

Danby® Air Care




Air Purifier Ideal for spaces up to 210 sq. ft.

DAPI43BAB-UV

- TRUE HEPA filter captures 99.97% of airborne particles as small as 0.3 microns
- Activated carbon pre-filter reduces odors from pets, smoke, and cooking
- High CADR: Smoke 135, Dust 145, Pollen 228
- 3 fan speeds with easy electronic controls
- Quiet operation—runs as low as 30 dB
- Filter replacement indicator light
- AHAM Verified and ETL Certified
- Compatible with DAPI43UV-F replacement filter (sold separately)
- 24-month parts & labor warranty with carry-in service

W 6 7/8" (17.5 cm) x D 10 1/16" (25.4 cm) x H 26 9/16" (66.0cm)



Air Purifier Ideal for spaces up to 210 sq. ft.

DAPI43BAW-UV

- TRUE HEPA filter captures 99.97% of airborne particles as small as 0.3 microns
- Activated carbon pre-filter reduces odors from pets, smoke, and cooking
- High CADR: Smoke 135, Dust 145, Pollen 228
- 3 fan speeds with easy electronic controls
- Quiet operation—runs as low as 30 dB
- Filter replacement indicator light
- AHAM Verified and ETL Certified
- Compatible with DAPI43UV-F replacement filter (sold separately)
- 24-month parts & labor warranty with carry-in service

W 6 7/8" (17.5 cm) x D 10 1/16" (25.4 cm) x H 26 9/16" (66.0cm)

Danby® Packaged Terminal Air Conditioners



7K BTU Package Terminal Air Conditioner with Heat Pump, Electric Heat, and Dehumidifier

DPTA070HEB2WDB

- 3 powerful fan speeds
- Eco-friendly R32 refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Electric Heat & Dehumidifier
- High-efficiency compressor
- Freeze protection for air conditioning coils
- 5-year parts & labor warranty with in-home service

W 42" (106.7 cm)
D 23 7/8" (60.7 cm)
H 15 7/8" (40.6 cm)



9K BTU Package Terminal Air Conditioner with Heat Pump, Electric Heat, and Dehumidifier

DPTA090HEB2WDB

- 3 powerful fan speeds
- Eco-friendly R32 refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Electric Heat & Dehumidifier
- High-efficiency compressor
- Freeze protection for air conditioning coils
- 5-year parts & labor warranty with in-home service

W 42" (106.7 cm)
D 23 7/8" (60.7 cm)
H 15 7/8" (40.6 cm)



12K BTU Package Terminal Air Conditioner with Heat Pump, Electric Heat, and Dehumidifier

DPTA120HEB2WDB

- 3 powerful fan speeds
- Eco-friendly R32 refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Electric Heat & Dehumidifier
- High-efficiency compressor
- Freeze protection for air conditioning coils
- 5-year parts & labor warranty with in-home service

W 42" (106.7 cm)
D 23 7/8" (60.7 cm)
H 15 7/8" (40.6 cm)



15K BTU Package Terminal Air Conditioner with Heat Pump, Electric Heat, and Dehumidifier

DPTA150HEB2WDB

- 3 powerful fan speeds
- Eco-friendly R32 refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Electric Heat & Dehumidifier
- High-efficiency compressor
- Freeze protection for air conditioning coils
- 5-year parts & labor warranty with in-home service

W 42" (106.7 cm)
D 23 7/8" (60.7 cm)
H 15 7/8" (40.6 cm)



PTAC Sleeve

DPSLI20BIW

- Designed for use with Danby Packaged Terminal Air Conditioners

W 42" (106.7 cm)
D 20 15/16" (53.2 cm)
H 15 7/8" (40.6 cm)



Architectural Grill

Sold Separately – Special Order

Part # Z01116-A

- Standard aluminium finish, architectural louvered grill for use with DPSLI20BIW PTAC Sleeve

W 42" (106.7 cm)
D 14 13/16" (37.6 cm)
H 16 1/16" (40.8 cm)

Danby® Specifications

Air Purifiers		
	DAPI43BAB-UV	DAPI43BAW-UV
Coverage Area (Sq. Ft.)	210	210
Filter Type	HEPA/ Active Carbon	HEPA/ Active Carbon
Maximum Room Size	210	210
Number of Speeds	3	3
Remote Control	No	No
Type of Allergens Removed	Tobacco Smoke, Dust, Pollen	Tobacco Smoke, Dust, Pollen
Tobacco Smoke CADR	135	135
Dust CADR	135	135
Pollen CADR	195	195
Decibels	1: 32dB, 2: 46dB, 3: 54dB	1: 32dB, 2: 46dB, 3: 54dB
PM2.5	No	No
UNIT DIMENSIONS		
Width	6 14/16" (17.56 cm)	6 14/16" (17.56 cm)
Height	26 9/16" (67.5 cm)	26 9/16" (67.5 cm)
Depth	10 1/16" (25.6 cm)	10 1/16" (25.6 cm)
Weight	12.79 lbs (5.8 kg)	12.79 lbs (5.8 kg)
CARTON DIMENSIONS		
Width	9 15/16" (25.2 cm)	9 15/16" (25.2 cm)
Height	30.0" (76.2 cm)	30.0" (76.2 cm)
Depth	13 1/16" (33.2 cm)	13 1/16" (33.2 cm)
Weight	15.87 lbs/7.2 kg	15.87 lbs/7.2 kg
MISCELLANEOUS		
Energy Star Rated	Yes	Yes
Warranty	24 months parts & labor	24 months parts & labor

PTACs					
	DPTA070HEB2WDB	DPTA090HEB2WDB	DPTA120HEB2WDB	DPTA150HEB2WDB	DPSL120BIW
Square Feet	250-300	350-400	450-500	550-700	Req. Ins.
Description	7000 BTU PTAC with heat pump	9000 BTU PTAC with heat pump	12000 BTU PTAC with heat pump	15000 BTU PTAC with heat pump	PTAC Sleeve; includes Stamped Grill
Type	PTAC	PTAC	PTAC	PTAC	PTAC
Cooling Capacity	7,200/7,100	8,800/8,500	12,000/11,800	14,700/14,500	Required for new installation
ERR	13.1	12.8	11.6	10.5	
Heating Capacity	7,800/6,300	7,800/7,500	10,800/10,500	13,500/13,200	
COP	3.6	3.8	3.4	3.2	
Net Weight	101	109	115	117	
Sound Pressure	50.5/51	51.5/52.5	51/51.4	52/53	
Air Circulation	321/356/387	321/356/387	304/355/398	312/345/374	
Dehum Function	Yes	Yes	Yes	Yes	
Power Supply	208-230/60/1	208-230/60/1	208-230/60/1	208-230/60/1	
Rated Amps (Cooling)	3.0/3.3	2.99/3.23	4.50/4.89	6.03/6.58	
Rated Amps (Heating)	2.6/2.7	2.64/2.82	4.05/4.36	5.38/5.82	
Cooling Power Input	550/540	680/665	1035/1020	1390/1370	
Heating Power Input	480/460	600/580	930/905	1237/1209	
UNIT DIMENSIONS					
Width	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)
Height	15.98" (40.6 cm)	15.98" (40.6 cm)	15.98" (40.6 cm)	15.98" (40.6 cm)	16.06" (40.8 cm)
Depth	20.94" (53.2 cm)	20.94" (53.2 cm)	20.94" (53.2 cm)	20.94" (53.2 cm)	14.8" (37.6 cm)
Weight	101.41 lbs (46 kg)	109.57 lbs (49.70 kg)	115.74 lbs (52.5 kg)	116.6 lbs (52.9 kg)	26.01 lbs (11.8 kg)
CARTON DIMENSIONS					
Width	44.49" (113.0 cm)	44.49" (113.0 cm)	44.49" (113.0 cm)	44.49" (113.0 cm)	43.5" (110.5 cm)
Height	19.29" (49.0 cm)	19.29" (49.0 cm)	19.29" (49.0 cm)	19.29" (49.0 cm)	6.30" (16.0 cm)
Depth	24.61" (62.5 cm)	24.61" (62.5 cm)	24.61" (62.5 cm)	24.61" (62.5 cm)	16.34" (41.5 cm)
Weight	110.23 lbs/50 kg	120.59 lbs/54.7 kg	126.77 lbs/57.5 kg	129.41 lbs/58.7 kg	31.09 lbs/14.1 kg



- Models have an optional fresh air intake to replace stagnant air.
- Regular operating temperatures for outside air 30 (86) cooling; 29 (84) heating
- Standard 208/230V, grounded receptacle 6-20p plug is supplied.



Hospitality

Product Guide



Danby Authorized Reseller Partner • MDM Commercial • www.mdmcommercial.com • (800) 359-6741

Intirion Corporation • 2 Annette Road, Suite 3 Foxboro, MA 02035

Specifications are subject to change. Please contact your sales representative for further details.

"MicroFridge®" and the MicroFridge® logo and "Safe Plug®" and the Safe Plug® logo, "1st Defense™ Smoke Sensor" and 1st Defense™ Smoke Sensor logo are registered trademarks of Intirion Corporation. © Intirion Corporation 2026